

## Esercizi sull'uso di **FRAME** (cornici)

```
<html>
<head>
<title>.....</title>
</head>
```

```
<frameset>..... </frameset>
```

```
<noframes>
<body>
    questo testo è visto dai browser che non implementano i frames
    <p>
    ed ignorato da quelli più recenti che interpretano correttamente la struttura a cornici
</body>
</noframes>

</html>
```

### es. 1

```
<frameset cols="50%,50%">

    <frame src= "file1.html">
    <frame src= "file2.html">

</frameset>
```

### es. 2

```
<frameset cols="20%,20%,20%,20%,20%">

    <frame src= "file1.html">
    <frame src= "file2.html">
    <frame src= "file3.html">
    <frame src= "file4.html">
    <frame src= "file5.html">

</frameset>
```

### es. 3

```
<frameset rows="10%,20%,30%,15%,25%">

    <frame src= "file1.html">
    <frame src= "file2.html">
    <frame src= "file3.html">
    <frame src= "file4.html">
    <frame src= "file5.html">

</frameset>
```

**es. 4**

```
<frameset cols="50,*">
  <frame src="file1.html">
  <frame src="file2.html">
</frameset>
```

**es. 5**

```
<frameset cols="50,*2*">

  <frame src="file1.html">
  <frame src="file2.html">
  <frame src="file3.html">

</frameset>
```

**es. 6**

```
<frameset cols="50,*2*">

  <frame src="file1.html">
  <frame src="file2.html">

  <frameset rows="50%,50%">
    <frame src="file3.html">
    <frame src="file4.html">
  </frameset>

</frameset>
```

**es. 7**

```
<frameset cols="50,*2*">

  <frameset rows="50,*,*">
    <frame src="file1.html">
    <frame src="file1.html">
    <frame src="file1.html">
  </frameset>

  <frame src="file2.html">

  <frameset rows="50%,50%">
    <frame src="file3.html">
    <frame src="file4.html">
  </frameset>

</frameset>
```

### es. 8 frames con immagini

```
<frameset cols="50%,50%">
    <frame src="img.gif" width = 112 height = 145>
    <frame src="file2.html">
</frameset>
```

### es. 9

```
<frameset cols="112,*">
    <frame src="img.gif" width = 112 height = 145>
    <frame src="file2.html">
</frameset>
```

### es.10

```
<frameset cols="112,*">
    <frameset rows="145,*">
        <frame src="img.gif" width = 112 height = 145>
        <frame src="file2.html">
    </frameset>
    <frame src="file2.html">
</frameset>
```

### es.11

```
<frameset cols="112,*">
    <frameset rows="145,*">
        <frame src="img.gif" width = 112 height = 145 scrolling = no>
        <frame src="file2.html">
    </frameset>
    <frame src="file2.html">
</frameset>
```

### es.12

```
<frameset cols="120,*">
    <frameset rows="153,*">
        <!-- aggiungendo 8 pixel ad ogni dimensione --->
        <frame src="img.gif" width = 112 height = 145 scrolling = no
            marginwidth = 1 marginheight = 1>
        <frame src="file2.html">
    </frameset>
    <frame src="file2.html">
</frameset>
```

### es.13

```
<frameset cols="120,*" border = 20>
  <frameset rows="153,*">
    <!-- aggiungendo 8 pixel ad ogni dimensione --->
    <frame src= "img.gif" width = 112 height = 145 scrolling = no
      marginwidth = 1 marginheight = 1>
    <frame src= "file2.html">
  </frameset>
  <frame src= "file2.html">
</frameset>
```

### es.14

```
<frameset cols="120,*" border = 20 style= "border-color:#ff0000">
  <frameset rows="153,*">
    <frame src= "img.gif" width = 112 height = 145 scrolling = no
      marginwidth = 1 marginheight = 1>
    <frame src= "file2.html">
  </frameset>
  <frame src= "file2.html">
</frameset>
```

### es.15

```
<frameset cols="120,*" border = 20 style= "border-color:#ff0000 ">
  <frameset rows="153,*" frameborder = no>
    <frame src= "img.gif" width = 112 height = 145 scrolling = no
      marginwidth = 1 marginheight = 1>
    <frame src= "file2.html">
  </frameset>
  <frame src= "file2.html">
</frameset>
```

### es.16

```
<frameset cols="120,*" border = 20 style= "border-color:#ff0000">
  <frameset rows="153,*" frameborder = no>
    <frame src= "img.gif" width = 112 height = 145 scrolling = no
      marginwidth = 1 marginheight = 1>
    <frame src= "file2.html">
  </frameset>
  <frame src= "file2.html" noresize>
</frameset>
```